### Floyd's of Leadville 1800mg CBD Oil

Sample ID: 2004ELA0754.1837

Strain: 1800mg CBD Oil Matrix: Ingestible

Type: Tincture

Sample Size: 1 units; Batch:

Manufactured: N/A

Collected:

Received: 04/24/2020

Completed: 05/23/2020 Batch#:

**Real Tested CBD** 

Lic.#

1 Pelican Point

Newport Coast, CA 92657

Summary



Test Date Tested Result Batch Pass 05/01/2020 Cannabinoids Complete Residual Solvents 05/04/2020 Pass Pesticides 05/04/2020 Pass

Complete Cannabinoids

## 2.272 mg/serving

#### **Total THC**

# 54.540 mg/serving

#### **Total CBD**

# 61.782 mg/serving

#### **Total Cannabinoids**

| Analyte   | LOD      | LOQ      | Result | Result | Result     | Result     |
|-----------|----------|----------|--------|--------|------------|------------|
|           | mg/g     | mg/g     | %      | mg/g   | mg/serving | mg/package |
| THCa      | 0.015000 | 0.048000 | ND     | ND     | ND         | ND         |
| Δ9-THC    | 0.036000 | 0.114000 | 0.249  | 2.49   | 2.272      | 68.166     |
| Δ8-ΤΗС    | 0.02000  | 0.064000 | 0.022  | 0.22   | 0.204      | 6.122      |
| THCV      | 0.039000 | 0.124000 | ND     | ND     | ND         | ND         |
| CBDa      | 0.018000 | 0.057000 | ND     | ND     | ND         | ND         |
| CBD       | 0.021000 | 0.067000 | 5.986  | 59.86  | 54.540     | 1636.191   |
| CBDV      | 0.036000 | 0.114000 | 0.043  | 0.43   | 0.389      | 11.671     |
| CBN       | 0.018000 | 0.058000 | ND     | ND     | ND         | ND         |
| CBGa      | 0.01000  | 0.033000 | ND     | ND     | ND         | ND         |
| CBG       | 0.02000  | 0.063000 | 0.092  | 0.92   | 0.836      | 25.091     |
| CBC       | 0.008000 | 0.024000 | 0.389  | 3.89   | 3.540      | 106.211    |
| Total THC |          |          | 0.249  | 2.49   | 2.272      | 68.166     |
| Total CBD |          |          | 5.986  | 59.86  | 54.540     | 1636.191   |
| Total     |          |          | 6.781  | 67.81  | 61.782     | 1853.451   |

1 mL = 0.91106g. 30 serving(s) per package.

Cannabinoids analysis by SOP LAB-001 utilizing High Performance Liquid Chromatography-Diode Array Detection (HPLC-DAD). Total THC = THCa \* 0.877 + d9-THC; Total CBD = CBDa \* 0.877 + CBD. LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected. If moisture content is tested and reported, the cannabinoid results are reported normalized to dry



aaron Stanik Aaron Stancik, PhD Chief Science Officer

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



www.comment.cam.abs.com

www.comment.cam.abs.com

www.comment.cam.abs.com

www.comment.cam.abs.com

recorded selected content.cam.abs.com

www.comment.cam.abs.com

profiled selected content.cam.abs.com

www.comment.cam.abs.com

profiled selected content.cam.abs.com

www.comment.cam.abs.com

www.



Earth Labs, LLC 15375 Barranca Pkwy Suite F101 http://www.earthlabs.net Irvine, CA 92618

(888) 835-2276 Lic# C8-0000037-LIC

2 of 3

#### Floyd's of Leadville 1800mg CBD Oil

Sample ID: 2004ELA0754.1837

Strain: 1800mg CBD Oil

Matrix: Ingestible

Type: Tincture Sample Size: 1 units; Batch: Manufactured: N/A

Collected:

Received: 04/24/2020 Completed: 05/23/2020

Batch#:

Client

**Real Tested CBD** 

Lic.#

1 Pelican Point

Newport Coast, CA 92657

**Residual Pesticides Pass** 

| Analyte             | LOD   | LOQ   | Limit | Result | Status | Analyte                  | LOD   | LOQ   | Limit | Result                           | Status |
|---------------------|-------|-------|-------|--------|--------|--------------------------|-------|-------|-------|----------------------------------|--------|
|                     | µg/g  | µg/g  | µg/g  | μg/g   |        |                          | µg/g  | µg/g  | µg/g  | μg/g                             |        |
| Abamectin           | 0.022 | 0.066 | 0.3   | ND     | Pass   | Fludioxonil              | 0.015 | 0.046 | 30    | ND                               | Pass   |
| Acephate            | 0.004 | 0.012 | 5     | ND     | Pass   | Hexythiazox              | 0.007 | 0.021 | 2     | ND                               | Pass   |
| Acequinocyl         | 0.015 | 0.044 | 4     | ND     | Pass   | Imazalil                 | 0.029 | 0.086 | 0.029 | ND                               | Pass   |
| Acetamiprid         | 0.005 | 0.015 | 5     | ND     | Pass   | Imidacloprid             | 0.008 | 0.024 | 3     | ND                               | Pass   |
| Aldicarb            | 0.025 | 0.074 | 0.025 | ND     | Pass   | Kresoxim Methyl          | 0.025 | 0.074 | 1     | ND                               | Pass   |
| Azoxystrobin        | 0.009 | 0.028 | 40    | ND     | Pass   | Malathion                | 0.028 | 0.084 | 5     | ND                               | Pass   |
| Bifenazate          | 0.005 | 0.014 | 5     | ND     | Pass   | Metalaxyl                | 0.026 | 0.079 | 15    | ND                               | Pass   |
| Bifenthrin          | 0.022 | 0.066 | 0.5   | ND     | Pass   | Methiocarb               | 0.031 | 0.093 | 0.031 | ND                               | Pass   |
| Boscalid            | 0.014 | 0.042 | 10    | ND     | Pass   | Methomyl                 | 0.031 | 0.093 | 0.1   | ND                               | Pass   |
| Captan              | 0.21  | 0.593 | 5     | ND     | Pass   | M <mark>ev</mark> inphos | 0.01  | 0.031 | 0.01  | ND                               | Pass   |
| Carbaryl            | 0.009 | 0.027 | 0.5   | ND     | Pass   | Myclobutanil 📗           | 0.017 | 0.052 | 9     | ND                               | Pass   |
| Carbofuran          | 0.018 | 0.054 | 0.018 | ND     | Pass   | Naled                    | 0.027 | 0.081 | 0.5   | ND                               | Pass   |
| Chlorantraniliprole | 0.03  | 0.09  | 40    | ND     | Pass   | Oxamyl                   | 0.014 | 0.042 | 0.2   | ND                               | Pass   |
| Chlordane           | 0.023 | 0.075 | 0.023 | ND     | Pass   | Paclobutrazol            | 0.017 | 0.051 | 0.017 | ND                               | Pass   |
| Chlorfenapyr        | 0.007 | 0.022 | 0.007 | ND     | Pass   | Parathion Methyl         | 0.011 | 0.033 | 0.011 | ND                               | Pass   |
| Chlorpyrifos        | 0.018 | 0.054 | 0.018 | ND     | Pass   | Pentachloronitrobenzene  | 0.025 | 0.079 | 0.2   | ND                               | Pass   |
| Clofentezine        | 0.025 | 0.075 | 0.5   | ND     | Pass   | Permethrin               | 0.087 | 0.26  | 20    | ND                               | Pass   |
| Coumaphos           | 0.02  | 0.06  | 0.02  | ND     | Pass   | Phosmet                  | 0.02  | 0.06  | 0.2   | ND                               | Pass   |
| Cyfluthrin          | 0.158 | 0.475 | 1     | ND     | Pass   | Piperonyl Butoxide       | 0.021 | 0.063 | 8     | <loq< th=""><th>Pass</th></loq<> | Pass   |
| Cypermethrin        | 0.037 | 0.111 | 1     | ND     | Pass   | Prallethrin              | 0.026 | 0.078 | 0.4   | ND                               | Pass   |
| Daminozide          | 0.01  | 0.03  | 0.01  | ND     | Pass   | Propiconazole            | 0.029 | 0.088 | 20    | ND                               | Pass   |
| Diazinon            | 0.008 | 0.024 | 0.2   | ND     | Pass   | Propoxur                 | 0.03  | 0.089 | 0.03  | ND                               | Pass   |
| Dichlorvos          | 0.015 | 0.044 | 0.015 | ND     | Pass   | Pyrethrins               | 0.02  | 0.059 | 1     | ND                               | Pass   |
| Dimethoate          | 0.027 | 0.082 | 0.027 | ND     | Pass   | Pyridaben                | 0.006 | 0.018 | 3     | ND                               | Pass   |
| Dimethomorph        | 0.016 | 0.048 | 20    | ND     | Pass   | Spinetoram               | 0.019 | 0.056 | 3     | ND                               | Pass   |
| Ethoprophos         | 0.018 | 0.055 | 0.018 | ND     | Pass   | Spinosad                 | 0.011 | 0.034 | 3     | ND                               | Pass   |
| Etofenprox          | 0.013 | 0.038 | 0.013 | ND     | Pass   | Spiromesifen             | 0.019 | 0.057 | 12    | ND                               | Pass   |
| Etoxazole           | 0.029 | 0.088 | 1.5   | ND     | Pass   | Spirotetramat            | 0.031 | 0.094 | 13    | ND                               | Pass   |
| Fenhexamid          | 0.019 | 0.058 | 10    | ND     | Pass   | Spiroxamine              | 0.02  | 0.061 | 0.02  | ND                               | Pass   |
| Fenoxycarb          | 0.031 | 0.092 | 0.031 | ND     | Pass   | Tebuconazole             | 0.008 | 0.025 | 2     | ND                               | Pass   |
| Fenpyroximate       | 0.01  | 0.03  | 2     | ND     | Pass   | Thiacloprid              | 0.016 | 0.048 | 0.016 | ND                               | Pass   |
| Fipronil            | 0.016 | 0.047 | 0.016 | ND     | Pass   | Thiamethoxam             | 0.005 | 0.015 | 4.5   | ND                               | Pass   |
| Flonicamid          | 0.001 | 0.004 | 2     | ND     | Pass   | Trifloxystrobin          | 0.005 | 0.014 | 30    | ND                               | Pass   |

Pasticides analysis by SOP LAB-005 using Gas Chromatography - Mass Spectrometry - Mass Spectrometry (GC-MS/MS) and by SOP LAB-004 utilizing Liquid Chromatography - Mass Spectrometry - Ma





Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



Chief Science Officer



15375 Barranca Pkwy Suite F101 Irvine, CA 92618

(888) 835-2276 http://www.earthlabs.net Lic# C8-0000037-LIC

3 of 3

### Floyd's of Leadville 1800mg CBD Oil

Sample ID: 2004ELA0754.1837

Strain: 1800mg CBD Oil

Matrix: Ingestible

Type: Tincture Sample Size: 1 units; Batch: Manufactured: N/A

Collected:

Received: 04/24/2020

Completed: 05/23/2020 Batch#:

Client

**Real Tested CBD** 

Lic.#

1 Pelican Point

Newport Coast, CA 92657

| Residual Solvents                    |       |        |       |                                  | Pass   |
|--------------------------------------|-------|--------|-------|----------------------------------|--------|
| Analyte                              | LOD   | LOQ    | Limit | Result                           | Status |
|                                      | µg/g  | μg/g   | µg/g  | μg/g                             |        |
| 1,2-Dichloroethane                   | 0.21  | 0.88   | 1     | ND                               | Pass   |
| Acetone                              | 9.11  | 196.54 | 5000  | ND                               | Pass   |
| Acetonitrile                         | 9.41  | 196.54 | 410   | ND                               | Pass   |
| Benzene                              | 0.18  | 0.88   | 1     | ND                               | Pass   |
| Butane                               | 9.29  | 393.08 | 5000  | ND                               | Pass   |
| Chloroform                           | 0.17  | 0.88   | 1     | ND                               | Pass   |
| Ethanol                              | 70.05 | 786.16 | 5000  | ND                               | Pass   |
| Ethyl acetate                        | 10.06 | 196.54 | 5000  | ND                               | Pass   |
| Ethyl ether                          | 10.26 | 196.54 | 5000  | ND                               | Pass   |
| Ethylene oxide                       | 0.08  | 0.88   | 1     | ND                               | Pass   |
| Heptane                              | 19.17 | 196.54 | 5000  | ND                               | Pass   |
| Isopropyl alcohol                    | 15.98 | 196.54 | 5000  | ND                               | Pass   |
| Methanol                             | 31.21 | 196.54 | 3000  | <loq< th=""><th>Pass</th></loq<> | Pass   |
| Methylene chloride                   | 0.18  | 0.88   | 1     | ND                               | Pass   |
| Hexane                               | 31.63 | 196.54 | 290   | ND                               | Pass   |
| Pentane                              | 19.46 | 196.54 | 5000  | ND                               | Pass   |
| Propane                              | 22.78 | 393.08 | 5000  | ND                               | Pass   |
| Toluene                              | 10.08 | 196.54 | 890   | ND                               | Pass   |
| Trichloroethylene                    | 0.15  | 0.88   | 1     | ND                               | Pass   |
| Total xylenes (ortho-, meta-, para-) | 12.11 | 196.54 | 2170  | ND                               | Pass   |



Bate Tested. 03/04/2020
Residual Solvents analysis by SOP LAB-003 utilizing Gas Chromatography – Flame Ionization Detection (GC-FID) and Gas Chromatography – Mass Spectrometry (GC-MS). LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected.

aaron Stanik Aaron Stancik, PhD

Chief Science Officer

Confident Cannabis All Rights Reserved support@confidentcannabis.com (866) 506-5866 www.confidentcannabis.com



www.commaterial analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.