




**Tru Nano 15mg Strip**  
Cresco Management LLC  
Hemp ID: 201999H  
Ingestible, Orally-Dissolving Product

Sample: DIGP1911.1807.I.08584  
Sample Date: 11/27/2019 Report Date: 12/04/2019  
METRC Sample:  
Lot #: 10082019-1;

## Potency Test Results

### Cannabinoid Test Results

	<b>&lt;LOQ</b>	<b>16.815</b>
	Total Potential THC	Total Potential CBD
	<b>&lt;LOQ Total THC / 1 Strip</b>	<b>16.815 Total CBD / 1 Strip</b>
	THC/Unit	CBD/Unit

1 Unit = 1 Strip, 0.1082g

### Terpene Test Results

### Not Tested

Analyte	CAS No.	LOQ	Mass	Mass
---------	---------	-----	------	------

Analyte	LOQ	Mass	Mass
	%	mg/unit	mg/g
THCa	0.0133	<LOQ	<LOQ
Δ9-THC	0.0133	<LOQ	<LOQ
Δ8-THC	0.0133	<LOQ	<LOQ
THCV	0.0133	<LOQ	<LOQ
CBDa	0.0133	<LOQ	<LOQ
CBD	0.0133	16.815	155.410
CBDV	0.0133	0.069	0.640
CBN	0.0133	<LOQ	<LOQ
CBGa	0.0133	<LOQ	<LOQ
CBG	0.0133	<LOQ	<LOQ
CBC	0.0133	<LOQ	<LOQ
<b>Total</b>		<b>16.885</b>	<b>156.050</b>

NR = Not Reported; ND = Not Detected; LOQ = Limit of Quantification. Terpenes analyzed per Digipath Labs SOP-334 on an Agilent 7697A/7890B/5977A Headspace GC/MS.

Total Potential THC = (THCa \* 0.877) + Δ9-THC + Δ8-THC, Total Potential CBD = (CBDa \* 0.877) + CBD, LOQ = Limit of Quantitation; NR = Not Reported; ND = Not Detected; Cannabinoids for flower and trim reported as received. Cannabinoids analyzed per Digipath Labs SOP-317 on an Agilent 1260 UPLC.

### Safety & Quality Tests

Visual	Not Tested	Moisture Content	Not Tested
Microbiological	Not Tested	Homogeneity	Not Tested
Heavy Metals	Not Tested	Residual Solvents	Not Tested
Mycotoxins	Not Tested	Pesticides	Not Tested
Water Activity	Not Tested	pH	Not Tested

### CANNABINOIDS LABELING SUGGESTION PER NAC 453A.508

THC/Unit	CBN/Unit	CBD/Unit
<LOQ mg Total THC / 1 Strip	<LOQ mg CBN / 1 Strip	16.815 mg Total CBD / 1 Strip

Scan to View Results



I certify that this sample has been tested by DigiPath Labs. All results are reported on AS-IS basis.

Cindy Orser, PhD  
Lab Director



Accreditation #99721

All pass/fail limits are as specified in NAC 453.A and DPBH Policies. Unless otherwise stated, all quality control samples performed within specifications previously established by the Laboratory. This product has been tested by Digipath Labs, Inc. using validated testing methodologies under a QMS as required by ISO-17025:2017 and Nevada state law. Sample collected per Digipath Labs' SOP-312. Values reported relate only to the product tested. Water activity tested at 25o C. Digipath Labs, Inc. makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein and treats all client communication and testing results as confidential. This Certificate shall not be reproduced without the written approval of Digipath Labs, Inc. Measurement Uncertainty values have been determined for all methods and analytes. These data are available upon request.