

Elevar Nano Water Soluble CBD Chews

Sample ID: 2004ELA0754.1847
Strain: Water Soluble CBD Chews
Matrix: Ingestible
Type: Soft Chew
Sample Size: 1 units; Batch:

Manufactured: N/A
Collected:
Received: 04/24/2020
Completed: 05/26/2020
Batch#:

Client
Real Tested CBD
Lic. #
1 Pelican Point
Newport Coast, CA 92657



Summary

| Test | Date Tested | Result |
|-------------------|-------------|----------|
| Batch | | Pass |
| Cannabinoids | 05/23/2020 | Complete |
| Residual Solvents | 05/24/2020 | Pass |
| Pesticides | 05/26/2020 | Pass |

Cannabinoids

Complete

| | | |
|-----------|------------------------|------------------------|
| ND | 7.60 mg/serving | 7.60 mg/serving |
| Total THC | Total CBD | Total Cannabinoids |

| Analyte | LOD | LOQ | Result | Result | Result | Result |
|-----------|----------|----------|--------|--------|------------|------------|
| | mg/g | mg/g | % | mg/g | mg/serving | mg/package |
| THCa | 0.005000 | 0.014000 | ND | ND | ND | ND |
| Δ9-THC | 0.011000 | 0.034000 | ND | ND | ND | ND |
| Δ8-THC | 0.006000 | 0.019000 | ND | ND | ND | ND |
| THCV | 0.012000 | 0.037000 | ND | ND | ND | ND |
| CBDa | 0.005000 | 0.017000 | ND | ND | ND | ND |
| CBD | 0.006000 | 0.02000 | 0.30 | 3.0 | 7.60 | 227.85 |
| CBDV | 0.011000 | 0.034000 | ND | ND | ND | ND |
| CBN | 0.005000 | 0.017000 | ND | ND | ND | ND |
| CBGa | 0.003000 | 0.01000 | ND | ND | ND | ND |
| CBG | 0.006000 | 0.019000 | ND | ND | ND | ND |
| CBC | 0.002000 | 0.007000 | ND | ND | ND | ND |
| Total THC | | | ND | ND | ND | ND |
| Total CBD | | | 0.30 | 3.0 | 7.60 | 227.85 |
| Total | | | 0.30 | 3.0 | 7.60 | 227.85 |

30 serving(s) per package.

Cannabinoids analysis by SOP LAB-001 utilizing High Performance Liquid Chromatography-Diode Array Detection (HPLC-DAD). Total THC = THCa * 0.877 + d9-THC; Total CBD = CBDa * 0.877 + CBD. LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected. If moisture content is tested and reported, the cannabinoid results are reported normalized to dry weight.



Aaron Stancik

Aaron Stancik, PhD
Chief Science Officer

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.



Earth Labs, LLC
15375 Barranca Pkwy Suite F101
Irvine, CA 92618

(888) 835-2276
http://www.earthlabs.net
Lic# C8-0000037-LIC

QA Test Results

2 of 3

Elevar Nano Water Soluble CBD Chews

Sample ID: 2004ELA0754.1847
Strain: Water Soluble CBD Chews
Matrix: Ingestible
Type: Soft Chew
Sample Size: 1 units; Batch:

Manufactured: N/A
Collected:
Received: 04/24/2020
Completed: 05/26/2020
Batch#:

Client
Real Tested CBD
Lic. #
1 Pelican Point
Newport Coast, CA 92657

Residual Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Result | Status | Analyte | LOD | LOQ | Limit | Result | Status |
|---------------------|-------|-------|-------|--------|--------|-------------------------|-------|-------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.022 | 0.066 | 0.3 | ND | Pass | Fludioxonil | 0.015 | 0.046 | 30 | ND | Pass |
| Acephate | 0.004 | 0.012 | 5 | ND | Pass | Hexythiazox | 0.007 | 0.021 | 2 | ND | Pass |
| Acequinocyl | 0.015 | 0.044 | 4 | ND | Pass | Imazalil | 0.029 | 0.086 | 0.029 | ND | Pass |
| Acetamiprid | 0.005 | 0.015 | 5 | ND | Pass | Imidacloprid | 0.008 | 0.024 | 3 | ND | Pass |
| Aldicarb | 0.025 | 0.074 | 0.025 | ND | Pass | Kresoxim Methyl | 0.025 | 0.074 | 1 | ND | Pass |
| Azoxystrobin | 0.009 | 0.028 | 40 | ND | Pass | Malathion | 0.028 | 0.084 | 5 | ND | Pass |
| Bifenazate | 0.005 | 0.014 | 5 | ND | Pass | Metalaxyl | 0.026 | 0.079 | 15 | ND | Pass |
| Bifenthrin | 0.022 | 0.066 | 0.5 | ND | Pass | Methiocarb | 0.031 | 0.093 | 0.031 | ND | Pass |
| Boscalid | 0.014 | 0.042 | 10 | ND | Pass | Methomyl | 0.031 | 0.093 | 0.1 | ND | Pass |
| Captan | 0.21 | 0.593 | 5 | ND | Pass | Mevinphos | 0.01 | 0.031 | 0.01 | ND | Pass |
| Carbaryl | 0.009 | 0.027 | 0.5 | ND | Pass | Myclobutanil | 0.017 | 0.052 | 9 | ND | Pass |
| Carbofuran | 0.018 | 0.054 | 0.018 | ND | Pass | Naled | 0.027 | 0.081 | 0.5 | ND | Pass |
| Chlorantraniliprole | 0.03 | 0.09 | 40 | ND | Pass | Oxamyl | 0.014 | 0.042 | 0.2 | ND | Pass |
| Chlordane | 0.023 | 0.075 | 0.023 | ND | Pass | Paclobutrazol | 0.017 | 0.051 | 0.017 | ND | Pass |
| Chlorfenapyr | 0.007 | 0.022 | 0.007 | ND | Pass | Parathion Methyl | 0.011 | 0.033 | 0.011 | ND | Pass |
| Chlorpyrifos | 0.018 | 0.054 | 0.018 | ND | Pass | Pentachloronitrobenzene | 0.025 | 0.079 | 0.2 | ND | Pass |
| Clofentezine | 0.025 | 0.075 | 0.5 | ND | Pass | Permethrin | 0.087 | 0.26 | 20 | ND | Pass |
| Coumaphos | 0.02 | 0.06 | 0.02 | ND | Pass | Phosmet | 0.02 | 0.06 | 0.2 | ND | Pass |
| Cyfluthrin | 0.158 | 0.475 | 1 | ND | Pass | Piperonyl Butoxide | 0.021 | 0.063 | 8 | ND | Pass |
| Cypermethrin | 0.037 | 0.111 | 1 | ND | Pass | Prallethrin | 0.026 | 0.078 | 0.4 | ND | Pass |
| Daminozide | 0.01 | 0.03 | 0.01 | ND | Pass | Propiconazole | 0.029 | 0.088 | 20 | ND | Pass |
| Diazinon | 0.008 | 0.024 | 0.2 | ND | Pass | Propoxur | 0.03 | 0.089 | 0.03 | ND | Pass |
| Dichlorvos | 0.015 | 0.044 | 0.015 | ND | Pass | Pyrethrins | 0.02 | 0.059 | 1 | ND | Pass |
| Dimethoate | 0.027 | 0.082 | 0.027 | ND | Pass | Pyridaben | 0.006 | 0.018 | 3 | ND | Pass |
| Dimethomorph | 0.016 | 0.048 | 20 | ND | Pass | Spinetoram | 0.019 | 0.056 | 3 | ND | Pass |
| Ethoprophos | 0.018 | 0.055 | 0.018 | ND | Pass | Spinosad | 0.011 | 0.034 | 3 | ND | Pass |
| Etofenprox | 0.013 | 0.038 | 0.013 | ND | Pass | Spiromesifen | 0.019 | 0.057 | 12 | ND | Pass |
| Etoazole | 0.029 | 0.088 | 1.5 | ND | Pass | Spirotetramat | 0.031 | 0.094 | 13 | ND | Pass |
| Fenhexamid | 0.019 | 0.058 | 10 | ND | Pass | Spiroxamine | 0.02 | 0.061 | 0.02 | ND | Pass |
| Fenoxycarb | 0.031 | 0.092 | 0.031 | ND | Pass | Tebuconazole | 0.008 | 0.025 | 2 | ND | Pass |
| Fenpyroximate | 0.01 | 0.03 | 2 | ND | Pass | Thiacloprid | 0.016 | 0.048 | 0.016 | ND | Pass |
| Fipronil | 0.016 | 0.047 | 0.016 | ND | Pass | Thiamethoxam | 0.005 | 0.015 | 4.5 | ND | Pass |
| Flonicamid | 0.001 | 0.004 | 2 | ND | Pass | Trifloxystrobin | 0.005 | 0.014 | 30 | ND | Pass |

Date Tested: 05/26/2020

Pesticides analysis by SOP LAB-005 using Gas Chromatography - Mass Spectrometry - Mass Spectrometry (GC-MS/MS) and by SOP LAB-004 utilizing Liquid Chromatography - Mass Spectrometry - Mass Spectrometry (LC-MS/MS). LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected.



Aaron Stanick

Aaron Stanick, PhD
Chief Science Officer

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.



Earth Labs, LLC
15375 Barranca Pkwy Suite F101
Irvine, CA 92618

(888) 835-2276
<http://www.earthlabs.net>
Lic# C8-0000037-LIC

QA Test Results

3 of 3

Elevar Nano Water Soluble CBD Chews

Sample ID: 2004ELA0754.1847
Strain: Water Soluble CBD Chews
Matrix: Ingestible
Type: Soft Chew
Sample Size: 1 units; Batch:

Manufactured: N/A
Collected:
Received: 04/24/2020
Completed: 05/26/2020
Batch#:

Client
Real Tested CBD
Lic. #
1 Pelican Point
Newport Coast, CA 92657

Residual Solvents

| Analyte | LOD | LOQ | Limit | Result | Status |
|--------------------------------------|-------|--------|-------|--------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloroethane | 0.21 | 0.89 | 1 | <LOQ | Pass |
| Acetone | 9.14 | 197.16 | 5000 | ND | Pass |
| Acetonitrile | 9.44 | 197.16 | 410 | ND | Pass |
| Benzene | 0.18 | 0.89 | 1 | ND | Pass |
| Butane | 9.32 | 394.32 | 5000 | ND | Pass |
| Chloroform | 0.17 | 0.89 | 1 | ND | Pass |
| Ethanol | 70.27 | 788.64 | 5000 | <LOQ | Pass |
| Ethyl acetate | 10.10 | 197.16 | 5000 | ND | Pass |
| Ethyl ether | 10.30 | 197.16 | 5000 | ND | Pass |
| Ethylene oxide | 0.08 | 0.89 | 1 | ND | Pass |
| Heptane | 19.23 | 197.16 | 5000 | ND | Pass |
| Isopropyl alcohol | 16.03 | 197.16 | 5000 | ND | Pass |
| Methanol | 31.31 | 197.16 | 3000 | <LOQ | Pass |
| Methylene chloride | 0.18 | 0.89 | 1 | ND | Pass |
| Hexane | 31.73 | 197.16 | 290 | ND | Pass |
| Pentane | 19.52 | 197.16 | 5000 | ND | Pass |
| Propane | 22.85 | 394.32 | 5000 | ND | Pass |
| Toluene | 10.11 | 197.16 | 890 | ND | Pass |
| Trichloroethylene | 0.16 | 0.89 | 1 | ND | Pass |
| Total xylenes (ortho-, meta-, para-) | 12.15 | 197.16 | 2170 | ND | Pass |

earthlabs

Date Tested: 05/24/2020

Residual Solvents analysis by SOP LAB-003 utilizing Gas Chromatography – Flame Ionization Detection (GC-FID) and Gas Chromatography – Mass Spectrometry (GC-MS).
LOQ = Limit of Quantitation. LOD = Limit of Detection. ND = Not Detected.



Aaron Stanick

Aaron Stanick, PhD
Chief Science Officer

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



Foreign material analysis by SOP LAB-008 utilizing visual examination and optical microscopy. Water activity measurement by SOP LAB-010 utilizing chilled-mirror dew point analysis. Moisture content measurement by SOP LAB-009 utilizing thermogravimetric analysis. This product has been tested by Earth Labs, LLC using valid testing methodologies and quality system as required by state law. All LQC samples were performed and met the acceptance criteria, pursuant to 16 CCR section 5730. Values reported relate only to the product tested. Earth Labs, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Earth Labs, LLC.