

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

1 of 3

# Butler Hemp Co. Daily Blend Full-Spectrum CBD Oil

ample ID: SA-220503-89 atch: /pe: Finished Products atrix: Oil / Liquid - MCT nit Mass (g):		Received: 05/09/ Completed: 05/2	<b>Client</b> Real Tested CBD 160 Greentree Drive Suite 101 Dover, DE 19904 USA		
			Summary		
				Data Tartad	Chohua
			<b>Test</b> Cannabinoids	Date Tested 05/24/2022	Status
	BIR CONTRACTOR		Pesticides	05/19/2022	Tested Tested
	BUTLER have an		Residual Solvents	05/19/2022	Tested
	Dompson di Ma Fall Spectrum Off Joseph un Ma Joseph un Ma Martin di Martinia di Ma Martinia di Martinia di Martini				
0.688 mg/mL	51.5 mg/mL	55.1 mg/mL	Not Tested	Not Tested	Yes
Total ∆9-THC	Total CBD	Total Cannabinoids	Moisture Content	Foreign Matter	Internal Standard Normalization
annabinoids l	by HPLC-PDA, I	LC-MS/MS, and	or GC-MS/MS		· · · · · · · · · · · · · · · · · · ·
	by HPLC-PDA, I	LC-MS/MS, and, LOQ (mg/mL)	or GC-MS/MS Result (mg/mL)	Result (%)	Result (mg/unit)
nalyte	LOD	LOQ	Result		
nalyte BC	LOD (mg/mL)	LOQ (mg/mL)	Result (mg/mL)	(%)	(mg/unit)
nalyte BC BCA	LOD (mg/mL) 0.00095	LOQ (mg/mL) 0.00284 0.00543 0.0018	Result (mg/mL) 1.505 ND ND	<b>(%)</b> 0.160	(mg/unit) 45.1
halyte BC BCA BCV	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242	Result (mg/mL) 1.505 ND	(%) 0.160 ND ND 5.47	(mg/unit) 45.1 ND
halyte BC BCA BCV BD BDA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013	Result (mg/mL)   1.505   ND   51.395   0.162	(%) 0.160 ND ND 5.47 0.0172	(mg/unit) 45.1 ND ND 1540 4.86
nalyte BC BCA BCV BD BDA BDA BDV	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.0013 0.00182	Result (mg/mL)   1.505   ND   51.395   0.162   0.29	(%) 0.160 ND 5.47 0.0172 0.0309	(mg/unit) 45.1 ND ND 1540 4.86 8.70
nalyte BC BCA BCA BD BDA BDA BDV BDVA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063	Result (mg/mL)   1.505   ND   51.395   0.162   0.29   ND	(%) 0.160 ND 5.47 0.0172 0.0309 ND	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND
nalyte BC BCA BCV BD BDA BDV BDVA BGVA BG	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.0013 0.00182 0.00063 0.00172	Result (mg/mL)   1.505   ND   51.395   0.162   0.29   ND   0.468	(%) 0.160 ND 5.47 0.0172 0.0309 ND 0.0498	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147	Result (mg/mL)   1.505   ND   51.395   0.162   0.29   ND   0.468   ND	(%) 0.160 ND 5.47 0.0172 0.0309 ND 0.0498 ND	(mg/unit) 45.1 ND 1540 4.86 8.70 ND 14.0 ND
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.00872	(mg/unit) 45.1 ND 1540 4.86 8.70 ND 14.0 ND 2.46
nalyte BC BCA BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.00872 ND	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND
nalyte BC BCA BCA BCV BD BDA BDV BDVA BCVA BCA BL BLA BN	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00056	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.00872 ND 0.00596	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68
nalyte BC BCA BCV BD BDA BDA BDV BDVA BG BGA BL BLA BN BNA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056   ND	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.00872 ND 0.00596 ND	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68 ND
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BN BNA BNA BT	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056   ND   0.171	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.00872 ND 0.00596 ND 0.00596 ND 0.0182	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68 ND 1.68 ND 5.13
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BNA BNA BT 3-THC	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056   ND   0.1711   ND	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.00872 ND 0.00596 ND 0.00596 ND 0.0182 ND	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68 ND 1.68 ND 5.13 ND
Cannabinoids I nalyte BC BCA BCA BCV BD BDA BDV BDVA BGA BLA BLA BLA BLA BNA BT 8-THC 9-THC	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00027	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056   ND   0.171	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.0498 ND 0.00872 ND 0.00596 ND 0.00596 ND 0.0182 ND 0.0182 ND	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68 ND 1.68 ND 5.13
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BNA BNA BT 8-THC 9-THC	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00076	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056   ND   0.171   ND   0.688   ND	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.0498 ND 0.00872 ND 0.00596 ND 0.00596 ND 0.0182 ND 0.0182 ND 0.0732 ND	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68 ND 1.68 ND 5.13 ND 20.6
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BNA BNA BT 8-THC 9-THC 9-THCA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00076 0.00084	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.00227 0.00251	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056   ND   0.171   ND   0.688	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.0498 ND 0.00872 ND 0.00596 ND 0.00596 ND 0.0182 ND 0.0182 ND	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68 ND 5.13 ND 5.13 ND 20.6 ND
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BNA BNA BT 8-THC 9-THC 9-THCA 9-THCV	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00076 0.00084 0.00069	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.0027 0.00251 0.00206	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056   ND   0.171   ND   0.688   ND   0.688   ND	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.0498 ND 0.00872 ND 0.00596 ND 0.00596 ND 0.0182 ND 0.0182 ND 0.0182 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.02732 ND 0.0732 ND	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68 ND 1.68 ND 5.13 ND 20.6 ND ND 20.6 ND ND
nalyte BC BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BNA BT 8-THC 9-THC 9-THCA 9-THCV 9-THCV	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00076 0.00084 0.00069 0.00062	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.0027 0.00251 0.00227 0.00251 0.00206 0.00186	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056   ND   0.171   ND   0.688   ND   0.688   ND   ND	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.0498 ND 0.00872 ND 0.00596 ND 0.00596 ND 0.0182 ND 0.0182 ND 0.0182 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.00596 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0182 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND ND ND ND ND ND	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68 ND 5.13 ND 20.6 ND 20.6 ND ND 20.6 ND ND ND
nalyte BC BCA BCA BCV BD BDA BDV BDVA BG BGA BLA BLA BNA BT 8-THC 9-THC 9-THC 9-THCA 9-THCV 9-THCVA 9-THCVA 9-THCVA 9-THCVA	LOD (mg/mL) 0.00095 0.00181 0.0006 0.00081 0.00043 0.00061 0.00021 0.00057 0.00049 0.00112 0.00124 0.00124 0.00056 0.0006 0.0018 0.00104 0.00076 0.00084 0.00069 0.00062	LOQ (mg/mL) 0.00284 0.00543 0.0018 0.00242 0.0013 0.00182 0.00063 0.00172 0.00147 0.00335 0.00371 0.00169 0.00181 0.0054 0.00312 0.0027 0.00251 0.00227 0.00251 0.00206 0.00186	Result (mg/mL)   1.505   ND   ND   51.395   0.162   0.29   ND   0.468   ND   0.082   ND   0.056   ND   0.171   ND   0.688   ND   0.688   ND   0.256	(%) 0.160 ND ND 5.47 0.0172 0.0309 ND 0.0498 ND 0.0498 ND 0.00872 ND 0.00596 ND 0.00596 ND 0.0182 ND 0.0182 ND 0.0182 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0172 ND 0.0272	(mg/unit) 45.1 ND ND 1540 4.86 8.70 ND 14.0 ND 2.46 ND 1.68 ND 5.13 ND 20.6 ND 20.6 ND ND 20.6 ND ND 20.6 ND ND 20.6 ND ND 20.6 ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; RL = Reporting Limit;  $\Delta$  = Delta; Total  $\Delta$ 9-THC =  $\Delta$ 9-THC \* 0.877 +  $\Delta$ 9-THC; Total CBD = CBDA \* 0.877 + CBD;

Generated By: Ryan Bellone Commercial Director Date: 05/24/2022

Tested By: Alex Morris

Tested By: Alex Morris Quality Assurance Manager Date: 05/24/2022



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

2 of 3

## Butler Hemp Co. Daily Blend Full-Spectrum CBD Oil

Sample ID: SA-220503-8994 Batch: Type: Finished Products Matrix: Oil / Liquid - MCT Oil Unit Mass (g):

Received: 05/09/2022 Completed: 05/24/2022 Client

Real Tested CBD 160 Greentree Drive Suite 101 Dover, DE 19904 USA

#### Pesticides by LC-MS/MS and GC-MS/MS

Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)	Analyte	LOD (ppb)	LOQ (ppb)	Result (ppb)
Acephate	30	100	ND	Hexythiazox	30	100	ND
Acetamiprid	30	100	ND	Imazalil	30	100	ND
Aldicarb	30	100	ND	Imidacloprid	30	100	ND
Azoxystrobin	30	100	ND	Kresoxim methyl	30	100	ND
Bifenazate	30	100	ND	Malathion	30	100	ND
Boscalid	30	100	ND	Metalaxyl	30	100	ND
Carbaryl	30	100	ND	Methiocarb	30	100	ND
Carbofuran	30	100	ND	Methomyl	30	100	ND
Chloranthraniliprole	30	100	ND	Mevinphos	30	100	ND
Chlorfenapyr	30	100	ND	Myclobutanil	30	100	ND
Chlorpyrifos	30	100	ND	Naled	30	100	ND
Clofentezine	30	100	ND	Oxamyl	30	100	ND
Coumaphos	30	100	ND	Paclobutrazol	30	100	ND
Cypermethrin	30	100	ND	Phosmet	30	100	ND
Daminozide	30	100	ND	Piperonyl Butoxide	30	100	ND
Diazinon	30	100	ND	Prallethrin	30	100	ND
Dichlorvos	30	100	ND	Propiconazole	30	100	ND
Dimethoate	30	100	ND	Propoxur	30	100	ND
Dimethomorph	30	100	ND	Pyrethrins	30	100	ND
Ethoprophos	30	100	ND	Pyridaben	30	100	ND
Etofenprox	30	100	ND	Spinetoram	30	100	ND
Etoxazole	30	100	ND	Spinosad	30	100	ND
Fenhexamid	30 <	100	ND	Spiromesifen	30	100	ND
Fenoxycarb	30	100	ND	Spirotetramat	30	100	ND
Fenpyroximate	30	100	ND	Spiroxamine	30	100	ND
Fipronil	30	100	ND	Tebuconazole	30	100	ND
Flonicamid	30	100	ND	Thiacloprid	30	100	ND
Fludioxonil	30 <	100	ND	Thiamethoxam	30	100	ND
			$\times$	Trifloxystrobin	30	100	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit

Generated By: Ryan Bellone Commercial Director Date: 05/24/2022

Sulphons Testéd By: Jared Burkhart

estéd By: Jared Burkhaı Technical Manager Date: 05/19/2022



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.



KCA Laboratories 232 North Plaza Drive Nicholasville, KY 40356

+1-833-KCA-LABS https://kcalabs.com KDA Lic.# P\_0058

3 of 3

## Butler Hemp Co. Daily Blend Full-Spectrum CBD Oil

Sample ID: SA-220503-8994 Batch: Type: Finished Products Matrix: Oil / Liquid - MCT Oil Unit Mass (g):

Received: 05/09/2022 Completed: 05/24/2022 Client Real Tested CBD

USA

160 Greentree Drive Suite 101 Dover, DE 19904

### Residual Solvents by HS-GC-MS/MS

Analyte	LOD	LOQ	Result	Analyte	LOD	LOQ	Result
Acetone	<b>(ppm)</b> 167	(ppm) 500	(ppm)		(ppm)	(ppm) 62	(ppm) ND
				Ethylene Glycol		62	
Acetonitrile	14	41	ND	Ethylene Oxide	0.5	1	ND
Benzene	0.5	1	ND	Heptane	167	500	ND
Butane	167	500	ND	n-Hexane	10	29	ND
1-Butanol	167	500	ND	Isobutane	167	500	ND
2-Butanol	167	500	ND	Isopropyl Acetate	167	500	ND
2-Butanone	167	500	ND	Isopropyl Alcohol	167	500	ND
Chloroform	2	6	ND	Isopropylbenzene	167	500	ND
Cyclohexane	129	388	ND	Methanol	100	300	ND
1,2-Dichloroethane	0.5	1	ND	2-Methylbutane	10	29	ND
1,2-Dimethoxyethane	4	10	ND	Methylene Chloride	20	60	ND
Dimethyl Sulfoxide	167	500	ND	2-Methylpentane	10	29	ND
N,N-Dimethylacetamide	37	109	ND	3-Methylpentane	10	29	ND
2,2-Dimethylbutane	10	29	ND	n-Pentane	167	500	ND
2,3-Dimethylbutane	10	29	ND	1-Pentanol	167	500	ND
N,N-Dimethylformamide	30	88	ND	n-Propane	167	500	ND
2,2-Dimethylpropane	167	500	ND	1-Propanol	167	500	ND
1,4-Dioxane	13	38	ND	Pyridine	7	20	ND
Ethanol	167	500	ND	Tetrahydrofuran	24	72	ND
2-Ethoxyethanol	6	16	ND	Toluene	30	89	ND
Ethyl Acetate	167	500	ND	Trichloroethylene	3	8	ND
Ethyl Ether	167	500	ND	Tetramethylene Sulfone	6	16	ND
Ethylbenzene	3	7	ND	Xylenes (o-, m-, and p-)	73	217	ND

ND = Not Detected; NT = Not Tested; LOD = Limit of Detection; LOQ = Limit of Quantitation; P = Pass; F = Fail; RL = Reporting Limit



Generated By: Ryan Bellone Commercial Director Date: 05/24/2022

Tested By: Scott Caudill Senior Scientist Date: 05/19/2022



This product or substance has been tested by KCA Laboratories using validated testing methodologies and an ISO/IEC 170252017 accredited quality system. Values reported relate only to the product or substance tested. The reported result is based on a sample weight. Unless otherwise stated, results of tests performed on all quality control samples met criteria for acceptance established by KCA Laboratories. KCA Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected amounts of any substances reported herein. This Certificate of Analysis shall not be reproduced except in full, without the written approval of KCA Laboratories. KCA Laboratories can provide measurement uncertainty upon request.